

# E217 series



(By MaedaAkihiko - [CC BY-SA 4.0](#))

## Introducing

The E217 series (E217系, E217-kei) (E217系電車 /E217 Keidensha or JR東日本 E217系電車 /JR Higashinihon E 217-kei densha) is a type of electric multiple unit used for commuter and outer suburban services operated by the East Japan Railway Company (JR East) in Japan since 1994 (Heisei 6) on the Sōbu and Yokosuka lines.

Introduced in 1994 to replace the 113 series EMUs running on the Sōbu (fast) line and the Yokosuka line, it was the first type of commuter train in Japan to feature four pairs of doors per side on the car (at the same time as the 209 series). The basic design was developed from the 209 series commuter EMUs. It replaced all Yokosuka Line 113 series trains in 1999. The trains were built jointly by Kawasaki Heavy Industries, Tokyu Car and JR East (Niitsu and Ofuna plants).

([Wikipedia](#))

# Console details

Above the window are various indicators (requires reframing the cabin to see them).



Here is the list of indicators:

| Top line:  | Bottom line :   |
|--|---|
| <ul style="list-style-type: none"><li>• ATC release (ATC□□ )</li><li>• ATC</li><li>• Emergency operation (□□□□ )</li><li>• ATC power supply (ATC□□ )</li><li>• ATC normal (ATC□□ )</li><li>• ATC Emergency (ATC□□ )</li><li>• ATS-Sn</li><li>• ATS-Sn in operation (ATS-Sn□□ )</li><li>• <u>ATS-P</u> indicators</li></ul> | <ul style="list-style-type: none"><li>• Anti-rolling brakes (□ □□□□□ )</li><li>• Home position (□□□ )</li><li>• Vehicle doors closed (□□□□□ )</li><li>• Platform doors closed (□□□□□□ )</li><li>• Platform doors linkage (□□□□□□ )</li><li>• Platform doors separation (□□□□□□ )</li><li>• Failure (□□ )</li><li>• ATS-P Emergency (ATS-P□□ )</li></ul> |

Then, under the window, is the main part.



On the left-hand side, at the top,

there are various indicators:

1. 3-phases (□□ )
2. Emergency short-circuit (□□□□ )
3. Snow resistant brakes (□□□□□ )
4. Safety Brakes (□□□□□□□ )
5. ATS (SN)
6. ATS (P)
7. ATC
8. Side doors (□□□ )
9. Cruise control (□□ )

Below, on the left, are the brake levels with the emergency brake indicator in red (□□ ), as well as the brake pressure level (black arrow) and the compressed air reservoir (red arrow).

On the right is the speed dial, emergency stop button (□□ ), door-closing light and pocket watch.

On the right-hand side, in addition to the TIMS display, you'll find the train protection radio equipment, the ATS-P power indicator (□□ ) and a few other buttons.

Consult the [MON/TIMS/INTEROS screen](#) page for more details about the MON19 screen. Note that the central section changes presentation from Chiba onwards (horizontal reading -> vertical reading).

## Availability

This model is available in these lines:

- [Sobu Line \(rapide\)](#)
- [Yokosuka Line](#)

Révision #2

Créé 13 octobre 2024 20:17:05 par cracrayol

Mis à jour 3 mars 2025 15:41:45 par cracrayol